



Lorain County Public Health

For the Health of Us All

LEAD-BASED PAINT PROGRAM SERVICES AND FEES

Occupant Name: _____

Occupant Telephone: _____

Address: _____

City: _____

Owner Name: _____

Owner Telephone: _____

Instructions:

Select the desired service from the menu below with a check mark.

Category	Description	Cost	Service
A	<p><u>Lead-based paint inspection & lead risk assessment</u></p> <p>Following HUD protocols, this service will combine a lead inspection (surface-by-surface investigation of all painted surfaces – interior and exterior) with a lead risk assessment (onsite investigation for lead-based paint hazards). A visual assessment, the use of a portable X-ray fluorescent (XRF) analyzer, and targeted environmental sampling will be performed. These services will provide an inventory of the status of the painted surfaces as well as identifying and describing the severity of lead hazards.</p>	\$500	
B	<p><u>Lead risk assessment</u></p> <p>Following HUD protocols, this is an onsite investigation of a residential building for lead-based paint hazards. This service will determine the existence, nature, severity, and location of lead-based hazards by utilizing a portable X-ray fluorescent (XRF) analyzer and targeted environmental sampling. A report will provide a status of the painted surfaces that are either in fair or poor condition and options for corrective actions.</p>	\$350	
C	<p><u>Final clearance examination</u></p> <p>Following HUD protocols, this service will combine a visual assessment along with environmental sampling used to determine that no lead-based paint hazards remain in an area after the completion of the scope of work.</p>	\$225	

Payment:

Payment is required before the time of service. Cash, check, or money order accepted. Credit cards are accepted at the office only, not over the phone. The county auditor may charge a processing fee for all returned checks (fee not determined at this time).

Disclaimer:

The results of the above services apply only to the date and time that the evaluation was made. While the lead-based paint services are comprehensive; remodeling, alterations, and the passing of time may change household lead level concentrations.

All services will be performed in accordance with HUD protocols.

I have read, understand, and agree to the conditions stated on this form.

(Requester's Signature)

(Date)